

STYLE ME

 **BIAL**
EVERYTHING IN PLACE

CONFIGURATION STYLE ME AIR



DESIGN YOUR OWN CONFIGURATION



Different mask designs



BIAL design valves



Electric heater with
2 hour drying function




CODE GENERATOR

CONFIGURATION STYLE ME: **AIR**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P ₁ (Watt)	P ₂ (Watt)
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800



ALTA mid **XXX= 022**



ALTA **XXX= 021**




ZZ	01	02	03	04
	white	anthracite	sandy	platinum



ORDER GENERATOR MASK: AIR

33 016 YYYY ZZ



YYYY	A (mm)	H (mm)	D (mm)	m (kg)
4513	465	1395	91-111	4.1
4516	465	1395	91-111	5.2
6013	615	1715	91-111	5.4
6016	615	1715	91-111	6.5

ZZ	01	02	03	04
	white	anthracite	beige	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt P ₁	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION STYLE ME ZEN



DESIGN YOUR OWN CONFIGURATION



Different mask designs



BIAL design valves



Electric heater with
2 hour drying function




CODE GENERATOR

CONFIGURATION STYLE ME: **ZEN**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P ₁ (Watt)	P ₂ (Watt)
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800



ALTA mid **XXX= 022**



ALTA **XXX= 021**




ZZ	01	02	03	04
	white	anthracite	beige	platinum



ORDER GENERATOR MASK: ZEN

33 019 YYYY ZZ



YYYY	A (mm)	H (mm)	D (mm)	m (kg)
4513	465	1395	91-111	4.1
4516	465	1395	91-111	5.2
6013	615	1715	91-111	5.4
6016	615	1715	91-111	6.5

ZZ	01	02	03	04
	white	anthracite	beige	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt P ₁	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ




28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION STYLE ME DANDY



DESIGN YOUR OWN CONFIGURATION



Different mask designs



BIAL design valves



Electric heater with
2 hour drying function




CODE GENERATOR

CONFIGURATION STYLE ME: **DANDY**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P ₁ (Watt)	P ₂ (Watt)
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800



ALTA mid **XXX= 022**



ALTA **XXX= 021**




ZZ	01	02	03	04
	white	anthracite	beige	platinum



ORDER GENERATOR MASK: DANDY

33 020 YYYY ZZ



YYYY	A (mm)	H (mm)	D (mm)	m (kg)
4513	465	1395	91-111	4.1
4516	465	1395	91-111	5.2
6013	615	1715	91-111	5.4
6016	615	1715	91-111	6.5

ZZ	01	02	03	04
	white	anthracite	beige	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt P ₁	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION STYLE ME SUNNY



DESIGN YOUR OWN CONFIGURATION



Different mask designs



BIAL design valves



Electric heater with
2 hour drying function




CODE GENERATOR

CONFIGURATION STYLE ME: **SUNNY**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P ₁ (Watt)	P ₂ (Watt)
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800



ALTA mid **XXX= 022**



ALTA **XXX= 021**




ZZ	01	02	03	04
	white	anthracite	beige	platinum



ORDER GENERATOR MASK: SUNNY

33 017 YYYY ZZ



YYYY	A (mm)	H (mm)	D (mm)	m (kg)
4513	465	1395	91-111	4.1
4516	465	1395	91-111	5.2
6013	615	1715	91-111	5.4
6016	615	1715	91-111	6.5

ZZ	01	02	03	04
	white	anthracite	beige	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt P ₁	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION STYLE ME FLOREST



DESIGN YOUR OWN CONFIGURATION



Different mask designs



BIAL design valves



Available in all BIAL
colours




CODE GENERATOR

CONFIGURATION STYLE ME: **FLOREST**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P ₁ (Watt)	P ₂ (Watt)
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800



ALTA mid **XXX= 022**



ALTA **XXX= 021**




ZZ	01	02	03	04
	white	anthracite	beige	platinum



ORDER GENERATOR MASK: FLOREST

33 018 YYYY ZZ



YYYY	A (mm)	H (mm)	D (mm)	m (kg)
4513	465	1395	91-111	4.1
4516	465	1395	91-111	5.2
6013	615	1715	91-111	5.4
6016	615	1715	91-111	6.5

ZZ	01	02	03	04
	white	anthracite	beige	platinum



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt P ₁	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome

CONFIGURATION STYLE ME TIME



DESIGN YOUR OWN CONFIGURATION



Different mask designs



BIAL design valves



Electric heater with
2 hour drying function




CODE GENERATOR

CONFIGURATION STYLE ME: **TIME**

ORDER GENERATOR TUBE RADIATOR

31 XXX YYYY ZZ



YYYY	A (mm)	H (mm)	B (mm)	C (mm)	D (mm)	m (kg)	n exp.	P _{in} (Watt)	P _{out} (Watt)
4513	450	1374	400 / 50	70-90	85-105	10.47	1.2366	583	600
4516	450	1694	400 / 50	70-90	85-105	13.07	1.2461	718	800
6013	600	1374	550 / 50	70-90	85-105	12.92	1.2387	751	800
6016	600	1694	550 / 50	70-90	85-105	15.66	1.2467	916	800



ALTA mid XXX= 022



ALTA XXX= 021




ZZ	01	02	03	04
	white	anthracite	beige	platinum



ORDER GENERATOR MASK: TIME

33 021 YYYY ZZ



YYYY	A (mm)	H (mm)	D (mm)	m (kg)
4513	465	1395	91-111	4.1
4516	465	1395	91-111	5.2
6013	615	1715	91-111	5.4
6016	615	1715	91-111	6.5

ZZ	01
	white



ELECTRIC HEATER

typ ILS
230V, 50Hz,
IPX5, class II



26 005 YYYY ZZ

typ ELS
230V, 50Hz,
IPX5, class I



26 006 YYYY ZZ

YYYY	0400	0600	0800	1000
Watt P _{in}	400	600	800	1000

ZZ	01	05	06
	white	chrome	black



VALVE



28 001 001 ZZ



28 002 001 ZZ



28 005 001 ZZ



28 006 001 ZZ

ZZ	01	05
	white	chrome

white chrome